



VACCINES

PRODUCT NAME	LABEL COMPOSITION	PACK	THERAPEUTIC USE
DTwP – rHep B – Hib (liquid) Pentavalent : Diphtheria, Tetanus, Pertussis (Whole cell), Hepatitis B (rDNA) and Haemophilus Type b conjugate Vaccine (Adsorbed) WHO Prequalified	Each dose of 0.5 ml contains Diphtheria Formol Toxoid : ≥ 30 IU (≥ 20 Lf to ≤ 30 Lf) Tetanus Formol Toxoid : ≥ 60 IU (≥ 5 Lf to ≤ 25 Lf) Bordetella Pertussis (Whole cell, Killed) ≥ 4 IU r-HBsAg : (Recombinant HBs antigen produced in Pichia Pastoris) Purified capsular polysaccharide of Hib (PRP) covalently linked to 20 to 36.7 μ g of tetanus formol toxoid : 11 μ g Al ⁺⁺⁺ (as AIPO ₄) : ≤ 1.25 mg Preservative : Thiomersal : 0.01% w/v	0.5 ml vial 5 ml vial	Immunization against Diphtheria, Tetanus, Pertussis and Hepatitis B and Haemophilus Influenza type b
DTwP –rHep B + Hib (lyophilized) Pentavalent : Diphtheria, Tetanus, Pertussis (Whole Cell), Hepatitis B (rDNA) and Haemophilus Type b Conjugate Vaccine (Adsorbed) WHO Prequalified	Each reconstituted dose of 0.5 ml contains : Diphtheria Toxoid : ≥ 30 IU Tetanus Toxoid : ≥ 60 IU B.Pertussis (Whole cell) : ≥ 4 IU r-HBs Ag : 10 μ g Purified Capsular Polysaccharide (PRP): 10 μ g Tetanus Toxoid (Carrier protein) 19 to 33 μ g Al ⁺⁺⁺ (as AIPO ₄) : ≤ 1.25 mg Preservative : Thiomersal BP 0.01%	0.5 ml vial 5 ml vial	Immunization against Diphtheria, Tetanus, Pertussis and Hepatitis B and Haemophilus Influenza type b
TT Adsorbed Tetanus Vaccine WHO Prequalified	Each dose of 0.5 ml contains Tetanus Toxoid : ≥ 5 Lf to ≤ 25 Lf Aluminium Phosphate : ≥ 1.5 mg Thiomersal : 0.01 % w/v	0.5 ml vial 5 ml vial 10 ml vial	Active Immunization for Tetanus
JE Japanese Encephalitis Vaccine (Human) (Purified Inactivated Vaccine – Adsorbed) WHO Prequalified	Each 0.5 ml contains Purified Inactivated Japanese Encephalitis Virus Strain (SA ₁₄ -14-2): 6 μ g Aluminium as Aluminium Hydroxide : 0.1% w/v Phosphate Buffer Saline q.s	0.5 ml vial 0.25 ml vial	Immunization against Japanese Encephalitis
DTwP Adsorbed Diphtheria, Tetanus and Pertussis (Whole Cell) Vaccine	0.5 ml dose contains Diphtheria Toxoid : ≥ 20 Lf to ≤ 30 Lf Tetanus Toxoid : ≥ 5 Lf to ≤ 25 Lf B.Pertussis (Whole cell) : ≥ 4 IU Aluminium phosphate : ≥ 1.5 mg Thiomersal : 0.01 % w/v	0.5 ml vial 5 ml vial 10 ml vial	Immunization for Diphtheria, Pertussis and Tetanus
DT Adsorbed Diphtheria and Tetanus Vaccine	Each dose of 0.5 ml contains Diphtheria Toxoid : ≥ 20 Lf to ≤ 30 Lf Tetanus Toxoid : ≥ 5 Lf to ≤ 25 Lf Aluminium Phosphate : ≥ 1.5 mg Thiomersal : 0.01 % w/v	0.5 ml vial 5 ml vial 10 ml vial	Immunization for Diphtheria and Tetanus
Td Adsorbed Diphtheria and Tetanus Vaccine for Adults and Adolescents	Each dose of 0.5 ml contains : Diphtheria Toxoid ≤ 2 Lf Tetanus Toxoid ≥ 20 IU Adsorbed on Aluminium Phosphate (Al PO ₄) ≥ 1.5 mg Preservative : Thiomersal 0.01% w/v	0.5 ml vial 5 ml vial	Immunization against Tetanus and Diphtheria for Adults and Adolescents



HepB Hepatitis B Vaccine (rDNA)	0.5 ml dose contains : Purified HBsAg 10 µg Aluminium Hydroxide gel equivalent to as Al ⁺⁺⁺ 0.25 mg Thiomersal : 0.025 mg Recombinant HBs antigen produced in <i>Pichia Pastoris</i>	0.5 ml vial 5 ml vial	Immunization against Hepatitis B
	1 ml dose contains : Purified HBsAg 20 µg Aluminium Hydroxide gel equivalent to Al ⁺⁺⁺ 0.5 mg Thiomersal : 0.05 mg Recombinant HBs antigen produced in <i>Pichia Pastoris</i>	1 ml vial	
IPV Inactivated Poliomyelitis Vaccine	0.5 ml dose contains Inactivated Poliomyelitis Virus type 1 : 40 D antigen units Inactivated Poliomyelitis Virus type 2 : 8 D antigen units Inactivated Poliomyelitis Virus type 3 : 32 D antigen units 2-Phenoxyethanol : 2.5 mg	0.5 ml vial 5 ml vial	Immunization against Polio
Hib Haemophilus Type b Conjugate Vaccine (Lyophilised) (Hib Polysaccharide (PRP) conjugated to Tetanus Toxoid (TT) carrier protein)	Each reconstituted dose of 0.5 ml contains Purified Capsular Polysaccharide (PRP) 10 mcg Tetanus Toxoid 19 to 33 mcg Sucrose BP 42 mg Reconstitute the vaccine vial with 0.5ml diluent for Haemophilus Type b Conjugate Vaccine.	0.5 ml vial	Immunization against Haemophilus Influenza type b infection in children of age group of 6 weeks to 5 years
DTP – Hep B Diphtheria, Tetanus, Pertussis (Whole Cell) and Hepatitis B (rDNA) vaccine (Adsorbed)	Each dose of 0.5 ml contains Diphtheria Toxoid : ≥ 30 IU Tetanus Toxoid : ≥ 60 IU B.Pertussis (Whole cell) : ≥ 4 IU r-HBs Ag : 10 µg Al ⁺⁺⁺ (as AlPO ₄) : ≤ 1.25 mg Thiomersal 0.01%	0.5 ml vial 5 ml vial	Immunization for Diphtheria, Tetanus, Pertussis and Hepatitis B

Anti-Sera

ATS Tetanus Antitoxin	Each ampoule contains : Tetanus Antitoxin 1500 IU/ml Thiomersal : 0.01 % w/v	1ml Amp	Passive Immunization for Tetanus
Snake Antivenin (Polyvalent)	Each 1 ml Neutralizes Standard Cobra Venom (<i>Naja naja</i>) 0.6 mg Standard common krait Venom (<i>Bangarus caeruleus</i>) 0.45 mg Standard Russels Viper Venom (<i>Vipera russelli</i>) 0.6 mg Standard Saw Scaled Viper Venom (<i>Echis carinatus</i>) 0.45 mg Phenol ≤ 0.25% w/v	10 ml vial	Passive Immunization against Snake bite