

VACCINES - India

1. Product Name : **BEtt**
Tetanus Vaccine (Adsorbed) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- Tetanus Toxoid ≥ 5 Lf to ≤ 25 Lf
- Adsorbed on Aluminium Phosphate (AlPO₄) ≥ 1.5 mg
- Preservative: Thiomersal 0.01%

Pack : 0.5 mL Ampoule

Therapeutic Use : Active Immunization against Tetanus

2. Product Name : **BEtt**
Tetanus Vaccine (Adsorbed) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- Tetanus Toxoid ≥ 5 Lf to ≤ 25 Lf
- Adsorbed on Aluminium Phosphate (AlPO₄) ≥ 1.5 mg
- Preservative: Thiomersal 0.01%

Pack : 5 mL Vial

Therapeutic Use : Active Immunization against Tetanus

3. Product Name : **BEVAC®**
Hepatitis B Vaccine (rDNA) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- Purified HBsAg ≥ 10 µg
- Aluminium Hydroxide Gel 0.25 mg
Equivalent to Al⁺⁺⁺
- Thiomersal I.P. (As preservative) 0.025 mg

Pack : 0.5 mL Vial

Therapeutic Use : Active Immunization against Hepatitis B (Paediatric)

4. Product Name : **BEVAC®**
Hepatitis B Vaccine (rDNA) I.P.

Label Composition : Each Dose of 1 mL contains :

- Purified HBsAg ≥ 20 µg
- Aluminium Hydroxide Gel 0.50 mg
Equivalent to Al⁺⁺⁺
- Thiomersal I.P. (As preservative) 0.050 mg

Pack : 1 mL Vial

Therapeutic Use : Active Immunization against Hepatitis B (Adult)



VACCINES - India

5. Product Name : **BEVAC®**
Hepatitis B Vaccine (rDNA) I.P.

Label Composition : Each Dose of 1 mL contains :

- ◆ Purified HBsAg ≥20 µg
- ◆ Aluminium Hydroxide gel 0.50 mg
Equivalent to Al⁺⁺⁺
- ◆ Thiomersal I.P. (As preservative) 0.050 mg

Pack : 10 mL Vial

Therapeutic Use : Active Immunization against Hepatitis B (Adult)

6. Product Name : **BE Td®**
Diphtheria and Tetanus Vaccine (Adsorbed) for Adults and Adolescents I.P.

Label Composition : Each Dose of 0.5 mL contains :

- ◆ Diphtheria Toxoid ≥2 IU
- ◆ Tetanus Toxoid ≥5 Lf to ≤25 Lf (≥20 IU)
- ◆ Adsorbed on Aluminium Phosphate (as AlPO₄) ≥1.5 mg
- ◆ Preservative: Thiomersal I.P. 0.01% w/v

Pack : 0.5 mL Ampoule

Therapeutic Use : Active Immunization against Diphtheria and Tetanus in adolescents aged ≥7 years and adults and for pregnant women against MNT

7. Product Name : **ComBE Five®** (Liquid)
(DTwP - rHepB - Hib)
Diphtheria, Tetanus, Pertussis (Whole cell), Hepatitis B (rDNA),
Haemophilus influenzae Type b Conjugate Vaccine (Adsorbed) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- ◆ Diphtheria Toxoid ≥30 IU (≥20 Lf to ≤30 Lf)
- ◆ Tetanus Toxoid ≥60 IU (≥5Lf to ≤ 25 Lf)
- ◆ B. pertussis (Whole Cell) ≥4 IU
- ◆ r-HBsAg 12.5 µg
(Recombinant HBs Antigen produced in *Pichia pastoris*)
- ◆ Purified Capsular Polysaccharide of Hib (PRP)
covalently linked to 20 to 36.7 µg of Tetanus Toxoid 11 µg
- ◆ Al⁺⁺⁺ (as AlPO₄) ≤1.25 mg
- ◆ Preservative: Thiomersal I.P. 0.01% w/v

Pack : 0.5 mL single dose Vial
0.5 mL single dose PFS

Therapeutic Use : Active Immunization against Diphtheria, Pertussis, Tetanus, *Haemophilus*,
Influenza type b, and Hepatitis B Infection in children

VACCINES - India

8. Product Name : **JEEV® 6 µg/0.5 mL**
Japanese Encephalitis Vaccine Inactivated (Adsorbed, Human) I.P.

Label Composition : Each 0.5 mL contains :

- ◆ Purified Inactivated Japanese encephalitis Virus strain (SA-14-14-2)¹ 6 µg
- ◆ Aluminium as Aluminium Hydroxide 0.1 % w/v
- ◆ Phosphate Buffer Saline q.s
¹produced in Vero cells

Pack : 0.5 mL single dose Vial
0.5 mL single dose PFS

Therapeutic Use : Active Immunization against Japanese encephalitis in individuals from the age of ≥1 year to ≤49 years

9. Product Name : **JEEV® 3 µg/0.5 mL**
Japanese Encephalitis Vaccine Inactivated (Adsorbed, Human) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- ◆ Purified Inactivated Japanese encephalitis Virus strain (SA-14-14-2)¹ 3 µg
- ◆ Aluminium as Aluminium Hydroxide 0.1 % w/v
- ◆ Phosphate Buffer Saline q.s
¹produced in Vero cells

Pack : 0.5 mL single dose Vial
0.5 mL single dose PFS

Therapeutic Use : Active Immunization against Japanese encephalitis in children aged ≥1year to <3 years

10. Product Name : **TRIPVAC®**
Diphtheria, Tetanus and Pertussis Vaccine (Adsorbed) I.P.

Label Composition : Each Dose of 0.5 mL contains :

- ◆ Diphtheria Toxoid ≥20 Lf to ≤30 Lf (≥30 IU)
- ◆ Tetanus Toxoid ≥5 Lf to ≤25 Lf (≥60 IU)
- ◆ B. Pertussis ≥4.0 IU
- ◆ Adsorbed on Aluminium Phosphate (AlPO₄) ≥1.5 mg
- ◆ Preservative: Thiomersal I.P. 0.01% w/v

Pack : 5 mL Vial

Therapeutic Use : Active Immunization against Diphtheria, Tetanus and Pertussis for children aged ≥6 weeks to <7 years

VACCINES - India

| | |
|-------------------|--|
| 11. Product Name | : BERAB™ Rabies Vaccine, Human I.P. (Purified Vero Cell Rabies Vaccine) |
| Label Composition | : Purified Lyophilized Rabies antigen derived from Rabies Virus (L. Pasteur 2061/Vero strain propagated in Vero cells), Inactivated. <ul style="list-style-type: none"> ◆ Potency ≥2.5 IU per vial ◆ Stabilizers Maltose and Human Albumin: q.s. ◆ Preservative: Thiomersal ≤0.015% w/v Reconstituted with 0.5ml diluent (0.9% w/v Sodium Chloride Inj. IP) |
| Pack | : 0.5 mL single dose Vial |
| Therapeutic Use | : Immunization against Rabies. Post-exposure Prophylaxis and Pre-exposure prophylaxis |

| | |
|-------------------|--|
| 12. Product Name | : Measles & Rubella Vaccine (Live) I.P. (Attenuated, Freeze dried) |
| Label Composition | : Each reconstituted dose of 0.5 mL contains : <ul style="list-style-type: none"> ◆ Measles virus (CAM-70 strain) propagated in chicken embryo fibroblast cells ≥1000 CCID50 ◆ Rubella virus (Wistar RA 27/3 strain), propagated in MRC 5 cells ≥ 1000 CCID50 Reconstitute the vaccine vial with diluent (0.9% w/v Sodium Chloride Injection I.P.) |
| Pack | : 2.5 mL Vial and 5 mL Vial |
| Therapeutic Use | : Active Immunization against Measles and Rubella infections |

| | |
|-------------------|---|
| 13. Product Name | : TCV Typhoid Conjugate Vaccine (Monovalent) |
| Brand | : TYPHIBEV |
| Label Composition | : Each Dose of 0.5 mL contains : <ul style="list-style-type: none"> ◆ Typhoid Vi Polysaccharide¹ conjugated to 16.7 µg to 100 µg of CRM₁₉₇ 25 µg ◆ Sodium chloride and phosphate buffer q.s ◆ 2-Phenoxyethanol (as Preservative) 5 mg ¹ Produced from <i>C. freundii sensu lato</i> 3056 |
| Pack | : Single dose vial of 0.5 mL & Five dose vial of 2.5 mL Single dose vial of 0.5 mL supplied along with 2 mL syringe and two 25 G needles (One 5/8" length & One 1" length) |
| Indication | : Active Immunization against Typhoid |